

# BST-702D

## 450w CE Automatic BGA Soldering Station Rework Station With Hot Air Gun



### Product Description


Switchboard	
Rated voltage:	AC 220V±10% 50Hz
Total Power:	650W±10%(Max)
Work Environment:	0~40°C Relative humidity<80%
Storage Temperature:	-20~80°C Relative humidity<80%
Hot air gun parts	
Operating Voltage:	AC 220V±10% 50Hz
Output Power:	650W±10%
Temperature Range:	100°C~500°C
Gas type:	Pump air
Gas flow:	24L/min(Max)
Temperature stability:	±2°C (Static state)
Setting mode:	Buttons to adjust
Display:	LED Digital
Temperature lock mode:	Touchtone
Noise:	Less than 45dB
Nozzle specifications:	A1124,A1125,A1130
Heating wire:	High-power heating wire
Solder Equipment	
Operating Voltage:	AC 26V±10% 50Hz
Output Power:	40W±10%
Temperature Range:	200°C~480°C
Temperature stability:	±2°C Static state)
Setting mode:	Buttons to adjust
Display:	LED Digital
Temperature lock mode:	Touchtone
Tip-to-ground impedance:	<2Ω
Tip-to-ground voltage:	<2mV
Tip:	BST900-M-T-I
Heater:	Four core ceramic heater
Packing specifications	
Body weight:	4.26KG
The box size:	33*27*20.5CM
Packing size:	56.5cm*34cm*60.5CM
The number of packing:	6 units
A carton weight:	26.56KG
Fitting:	A wire rack; one iron ;one iron seat ;3 nozzle ; one puller ; air gun rack; one manual

# BST-702D


## 450w CE Automatic BGA Soldering Station Rework Station With Hot Air Gun



### PRODUCT DETAILS



### PRODUCT DISPLAY



# BST-702D

## 450w CE Automatic BGA Soldering Station Rework Station With Hot Air Gun

### PRODUCT PACKAGING



Packing box size : L330\*W273\*H195

- Weight :4.3KG
- ① 702D
  - ② Iron handle
  - ③ Temperature sponge
  - ④ Iron handle frame
  - ⑤ Gun holder
  - ⑥ Stainless steel nozzle
  - ⑦ Manual
  - ⑧ Box

